



AURORA Bearing Supply Co., Ltd.



71919 CD/HCP4A Bearing 2D drawings and 3D CAD models

95 mm x 130 mm x 18 mm SKF 71919 CD/HCP4A angular contact ball bearings

Bearing No. 71919 CD/HCP4A

Size	130x95x18 mm
Bore Diameter	130 mm
Outer Diameter	95 mm
Width	18 mm
d	95 mm
D	130 mm
B	18 mm
d ₁	105.8 mm
d ₂	105.8 mm
D ₁	119.2 mm
r _{1,2} - min.	1.1 mm
r _{3,4} - min.	0.6 mm
a	24.1 mm
d _a - min.	101 mm
d _b - min.	101 mm
D _a - max.	124 mm
D _b - max.	126 mm
r _a - max.	1 mm
r _b - max.	0.6 mm
d _n	108.6 mm
Basic dynamic load rating - C	49.4 kN
Basic static load rating - C ₀	55 kN
Fatigue load limit - P _u	2.2 kN
Limiting speed for grease	12000 r/min



AURORA Bearing Supply Co., Ltd.

Lubrication	
Limiting speed for oil lubrication	18000 mm/min
Ball - D_w	11.112 mm
Ball - z	28
G_{ref}	7.8 cm ³
Calculation factor - f_0	16.4
Preload class A - G_A	190 N
Preload class B - G_B	380 N
Preload class C - G_C	760 N
Preload class D - G_D	1520 N
Calculation factor - f	1.26
Calculation factor - f	1
Calculation factor - f_{2A}	1
Calculation factor - f_{2B}	1.07
Calculation factor - f_{2C}	1.12
Calculation factor - f_{2D}	1.18
Calculation factor - f_{HC}	1.04
Preload class A	112 N/micron
Preload class B	155 N/micron
Preload class C	220 N/micron
Preload class D	323 N/micron
d_1	105.8 mm
d_2	105.8 mm
D_1	119.2 mm
$r_{1,2}$ min.	1.1 mm
$r_{3,4}$ min.	0.6 mm
d_a min.	101 mm
d_b min.	101 mm
D_a max.	124 mm



AURORA Bearing Supply Co., Ltd.

D_b max.	126 mm
r_a max.	1 mm
r_b max.	0.6 mm
d_n	108.6 mm
Basic dynamic load rating C	49.4 kN
Basic static load rating C_0	55 kN
Fatigue load limit P_u	2.2 kN
Attainable speed for grease lubrication	12000 r/min
Attainable speed for oil-air lubrication	18000 r/min
Ball diameter D_w	11.112 mm
Number of balls z	28
Reference grease quantity G_{ref}	7.8 cm ³
Preload class A G_A	190 N
Static axial stiffness, preload class A	112 N/ μ m
Preload class B G_B	380 N
Static axial stiffness, preload class B	155 N/ μ m
Preload class C G_C	760 N
Static axial stiffness, preload class C	220 N/ μ m
Preload class D G_D	1520 N
Static axial stiffness, preload class D	323 N/ μ m
Calculation factor f	1.26
Calculation factor f_1	1
Calculation factor f_{2A}	1
Calculation factor f_{2B}	1.07
Calculation factor f_{2C}	1.12
Calculation factor f_{2D}	1.18
Calculation factor f_{HC}	1.04



AURORA Bearing Supply Co., Ltd.

Calculation factor f_0	16.4
Mass bearing	0.49 kg